

Anti-SLAMF7

Catalog No.	Description
AR920-5M	6 ml of Prediluted Antibody
PU920-UC	1 ml of Concentrated Antibody
PU920-5UC	0.5 ml of Concentrated Antibody

Clone	Species	Ig Class
Polyclonal	Rabbit	IgG

Intended Use

Analyte Specific Reagent. Analytical and performance characteristics are not established.

Specifications

This antibody stains SLAMF7 in formalin-fixed, paraffin-embedded tissue sections by [Immunohistochemical](#) techniques.

Source and format

Rabbit [Polyclonal Antibody](#) SLAMF7 diluted in PBS, pH 7.6, containing 1% BSA and 0.09% sodium azide.

Storage

Store at 2-8°C; do not freeze. Do not use after expiration date on vial.

Precautions

This antibody contains no hazardous material at a reportable concentration according to U.S. 29 CFR 1910.1200, OSHA Hazard Communication Standard and EC Directive 91/155/EC. However, this product contains sodium azide, at concentrations of less than 0.1%. Sodium azide is not classified as a hazardous chemical at the product concentrations. However, toxicity information regarding sodium azide at product concentrations has not been thoroughly investigated. Sodium azide may react with lead or copper plumbing to form highly explosive metal azides. Upon disposal, flush with large volumes of water to prevent azide build-up in plumbing (1). For more information, a Safety Data Sheet (SDS) for sodium azide in pure form is available upon request. Dispose unused reagents according to Local, State and Federal Regulations. Wear suitable Personal Protective Equipment, do not pipette reagents by mouth, and avoid contact of reagents and specimens with skin and mucous membranes. If reagents or specimens come in contact with sensitive area, wash with copious amounts of water (2).

Refer to appropriate product inserts for instructions of use and safety information on detection reagents and other materials, which may be used with the antibody.

Quality Control

Each lot of this antibody is tested by Immunohistochemistry for Quality Control purposes. Refer to the BioGenex Quality Control Testing Conditions table for additional information.

BioGenex Quality Control Testing Conditions

Parameter	Conditions Used
Control Tissue	Tonsil
Tissue Type	Formalin-Fixed, Paraffin-Embedded tissue sections (FFPE)

Bibliography

- Center for Disease Control Manual. Guide: Safety Management, NO. CDC-22, Atlanta, GA. April 30, 1976 "Decontamination of Laboratory Sink Drains to Remove Azide Salts.
- Clinical and Laboratory Standards Institute (CLSI). Protection of Laboratory Workers from Occupationally Acquired Infections; Approved Guideline-Fourth Edition CLSI document M29-A4 Wayne, PA 2014.
- Veillette A, Guo H. CS1, a SLAM family receptor involved in immune regulation, is a therapeutic target in multiple myeloma. Crit Rev Oncol Hematol. 88 (1) 168–77 (2013).
- Bouchon A, et al. Activation of NK cell-mediated cytotoxicity by a SAP-independent receptor of the CD2 family. J Immunol. 167 (10) 5517–21 (2001).
- Cruz-Munoz ME, et al. Influence of CRACC, a SLAM family receptor coupled to the adaptor EAT-2, on natural killer cell function. Nat Immunol. 10 (3) 297–305 (2009).
- Hsi ED, et al. CS1, a potential new therapeutic antibody target for the treatment of multiple myeloma. Clin Cancer Res. 14 (9) 2775–84 (2008).
- Tai YT, et al. Anti-CS1 humanized monoclonal antibody HuLuc63 inhibits myeloma cell adhesion and induces antibodydependent cellular cytotoxicity in the bone marrow milieu. Blood. 112 (4) 1329 –37 (2008).

Category	Antibodies	Revision No.	C
Document No.	932-920P	Release Date	May 30, 2024